

POLYPROPYLENE



Polymer Composite

HI-PRENE HLG41S

Typical Properties	Test Conditions	Test Method	Units	Result
Physical				
Density	-	ASTM D792	g/cm ³	0.99
Mechanical				
Tensile Strength at Yield	50 mm/min	ASTM D638	MPa	96
Elongation at Break	50 mm/min	ASTM D638	%	3.3
Flexural Strength	10 mm/min	ASTM D790	MPa	115
Flexural Modulus	10 mm/min	ASTM D790	MPa	3,850
Izod Impact	@23°C, Notched	ASTM D256	J/m	135
Rockwell Hardness	-	ASTM D785	R scale	115
Thermal				
Heat Deflection Temperature	1.8 MPa	ASTM D648	°C	163

※ Results may vary depending on environmental conditions and /or devices.

May, 2020

www.gspolymer.com